

AD-A127 944

DISCRETIZATION AND SOLUTION TECHNIQUES FOR
NAVIER-STOKES AND TRANSONIC FL..(U) CARNEGIE-MELLON
UNIV PITTSBURGH PA DEPT OF MATHEMATICS R A NICOLAIDES

1/1

UNCLASSIFIED


MAY 82 AFOSR-TR-83-0344 AFOSR-80-0091

F/G 12/1

NL

END
DATE
FILMED

6-83
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963 A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 33-0344	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) DISCRETIZATION AND SOLUTION TECHNIQUES FOR NAVIER-STOKES AND TRANSONIC FLOW PROBLEMS		5. TYPE OF REPORT & PERIOD COVERED FINAL, 1 JAN 80-30 APR 83
7. AUTHOR(s) R.A. Nicolaides		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Mathematics Carnegie-Mellon University Pittsburgh PA 15213		8. CONTRACT OR GRANT NUMBER(s) AFOSR-80-0091
11. CONTROLLING OFFICE NAME AND ADDRESS Mathematical & Information Sciences Directorate Air Force Office of Scientific Research Bolling AFB DC 20332		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PE61102F; 2304/A3
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE MAY 1982
		13. NUMBER OF PAGES 10
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The major thrust of the research undertaken was to find the most efficient methods for solving viscous flow problems governed by the Navier-Stokes equations. Both external flows past obstacles and internal flows in tanks and channels were investigated. Two aspects in particular have been studied most thoroughly. These are the finite-element discretization of the flow equations and the implementation aspects involving most effective use of hardware in order to obtain small solution times.		

DTIC
SELECTED
MAY 9 1983

(CONTINUED)

DD FORM 1473
1 JAN 73

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

83 05 06-161

AD A 127944

DTIC FILE COPY

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

ITEM #20, CONTINUED:

The first topic involved a major mathematical investigation, and the problems have been solved essentially in their entirety. Specifically, simple rigorous tests have been developed for testing the stability of any potential finite element scheme. This problem which has hitherto resisted numerous attempts at a general solution is now reduced to a simple calculation with a small number of variables which is carried out a priori without the need for extensive computer calculations.

The second topic, which reduces to finding effective algorithms for solving the huge systems of nonlinear algebraic equations yielded by the discretization methods has been subdivided into two parts, associated with low and high Reynolds number flows respectively. For both of these cases new methods have been proposed and shown to be effective both theoretically and computationally.

Effort was also devoted to a number of other problems of interest. First, the question of periodic acoustic wave propagation, solved by mixed finite element methods was investigated. An extension of the theory for viscous flows was required and has been obtained. Second, the stability of Gaussian elimination applied to discrete Helmholtz problems, without pivoting, was studied via model problems. It was shown that contrary to various conjectures made in the literature the technique is unstable even under 'stabilizing' perturbations of the wave number. Third, it was realized that close connections exist between the finite element theory for low Reynolds number and that for the problems of linear elastomechanics posed in terms of stresses. The results obtained for the fluid case were then applied to the solution of some outstanding problems of the elasticity case.



Accession	
NTIS	MA&I
EIN TAB	
Classification	
Avail. Codes	
Dist	
A	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

AFOSR-TR- 83-0344

FINAL REPORT

Air Force Office of Scientific Research

Grant AFOSR 80-0091

Period ending 5/31/1982

Proposal Title

Discretization and Solution Techniques
for Navier-Stokes and Transonic Flow Problems

Principal Investigator:

R.A. Nicolaides

Department of Mathematics
Carnegie-Mellon University
Pittsburgh, PA 15213

Approved for public release;
distribution unlimited.

83 05 06-161

A B S T R A C T

The major thrust of the research undertaken was to find the most efficient methods for solving viscous flow problems governed by the Navier-Stokes equations. Both external flows past obstacles and internal flows in tanks and channels were investigated. Two aspects in particular have been studied most thoroughly. These are the finite-element discretization of the flow equations and the implementation aspects involving most effective use of hardware in order to obtain small solution times.

The first topic involved a major mathematical investigation, and the problems have been solved essentially in their entirety. Specifically, simple rigorous tests have been developed for testing the stability of any potential finite element scheme. This problem which has hitherto resisted numerous attempts at a general solution is now reduced to a simple calculation with a small number of variables which is carried out a priori without the need for extensive computer calculations.

The second topic, which reduces to finding effective algorithms for solving the huge systems of nonlinear algebraic equations yielded by the discretization methods has been subdivided into two parts, associated with low and high Reynolds number flows respectively. For both of these cases

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)
NOTICE OF TRANSMITTAL TO DTIC

This technical report has been reviewed and is
approved for release under E.O. 12958-1, AFR 190-12.

-1- Distribution is unlimited.

MATTHEW J. KEMNER

Chief, Technical Information Division

new methods have been proposed and shown to be effective both theoretically and computationally.

Effort was also devoted to a number of other problems of interest. First, the question of periodic acoustic wave propagation, solved by mixed finite element methods was investigated. An extension of the theory for viscous flows was required and has been obtained. Second, the stability of Gaussian elimination applied to discrete Helmholtz problems, without pivoting, was studied via model problems. It was shown that contrary to various conjectures made in the literature the technique is unstable even under 'stabilizing' perturbations of the wave number. Third, it was realized that close connections exist between the finite element theory for low Reynolds number and that for the problems of linear elastomechanics posed in terms of stresses. The results obtained for the fluid case were then applied to the solution of some outstanding problems of the elasticity case.

1. Navier-Stokes flows

1.1 New finite element classes. [2] [4] [5] [6] [13]

Several new classes of finite element pairs have been introduced, which are of optimal accuracy in the $H_0^1(\dots) \times L_0^2(\dots)$ setting. Some of these pairs have been implemented in the Stokes, Oseen and Navier-Stokes cases. The results of the computer programs are as predicted and show in some cases an order of magnitude improvement in accuracy for the same amount of work as with conventional schemes.

1.2 Stability of Navier-Stokes discretization [7], [9], [10], [14]

The investigations revealed a remarkable dichotomy of behaviour between low order and high order finite element approximations. When the investigation began, the subject consisted of a number of special, often difficult proofs that a small number of discretizations indeed yielded stable approximations in the sense that as some mesh parameter h tended to zero, the computed solutions approached the exact solution of the Navier-Stokes equations. The finite elements covered by these proofs by no means included those used in practical engineering computations. The first problem solved consists of giving a test whereby any finite element pair of higher than quadratic order in velocities can be relatively simply processed and its stability or otherwise verified. The test was applied to verify the stability of numerous existing

computations and then to devise better and stable higher order schemes. The existence of this test completely disposes of the stability question for higher order element pairs. Thus, an outstanding problem was resolved.

Many engineering calculations in the aerospace and other fields are performed using element pairs of lower order than quadratic. One such pair, previously a candidate for the 'work-horse' of viscous flow calculations, is the bilinear/constant combination. Many calculations have been carried out with these elements. A major result of our work on the lower order elements has been that the pressure field for this element does not converge to the true pressure field of the Navier-Stokes equations as the meshsize h approaches zero. Although we showed how the resulting field could be reprocessed to obtain a useful pressure field in simple cases, it is not at all clear that this can be done in general. Thus, these popular elements have a basic flaw.

To circumvent this difficulty, several element pairs of comparable simplicity have been introduced and proved to be stable and hence useful for reliable computation. Nevertheless, the fact remains that low order elements are to be suspected of inherent instability from now on, in the absence of rigorous proofs to the contrary.

The work on low order elements was thought to be of sufficient interest to warrant an abstract theory, since

similar problems arise in other fields of computational mechanics. This work continues.

1.3 Solution algorithms. [7], [11], [12], [13]

For the low Reynolds number case, a method called the "semi-direct" solution algorithm has been introduced. To explain it, consider the system of equations

$$\begin{aligned} \underline{A}\underline{u} + Bp &= f & A &= A(\underline{u}) \\ B^T \underline{u} &= g \end{aligned}$$

which is typical of the form assumed by the stationary Navier-Stokes after discretization by finite element methods. Adding $-\epsilon p(|\epsilon| \ll 1)$ to both sides of the second equation and iterating according to

$$\begin{aligned} \underline{A}\underline{u}^{n+1} + B p^{n+1} &= f \\ B^T \underline{u}^{n+1} - \epsilon p^{n+1} &= g - \epsilon p^n \end{aligned}$$

leads to the inner iteration

$$(\underline{A} + \epsilon B B^T) \underline{u}^{n+1} = f - \frac{1}{\epsilon} B(g - \epsilon p^n).$$

The tremendous advantage of this problem over the original one is that the pressure p^{n+1} has been eliminated from the calculation. Because of this, computer resources required

are reduced by a factor of 10 or more over the original system. The inner iteration is implemented by a fast conjugate gradient algorithm. This technique has been thoroughly analysed and used by us in many different settings, always performing well, provided Re is not too large. It has in fact become a standard technique for these flows, offering the advantage over the more usual penalty method of computing the exact solution of the system, rather than the exact solution of a perturbed system.

For the higher Reynolds numbers, the semi-direct method is not needed, because the calculation can now be treated explicitly (convection dominated rather than diffusion dominated). Here, another problem, also associated with the pressure is encountered. The problem is that of enforcing the constraint of incompressibility which takes the form of the second of the above equations, namely $B \underline{u} = g = 0$. A new method for handling this has been introduced, based on the observation that for finite element discretizations the transpose of the matrix B occurs in the momentum equation. The technique is to observe that the velocity computation requires the value of Bp only, and not p itself. But Bp is simply the least squares solution of B times the momentum equation. This least squares computation can be done very cheaply (one or two iterations) in a time marching regime and thus the pressure difficulty may be overcome.

2.1 Periodic Acoustic Wave Propagation. [1], [3]

An extension of the analysis applicable to the viscous flow problems is required in order for the results to be valid for the acoustics case. This analysis has been successfully carried out, with the result that a significant improvement in accuracy for essentially the same amount of work over the least squares method previously used, is obtained.

A related study considered the solution of periodic acoustic phenomena governed by the Helmholtz equation. The objective here was to prove or disprove the proposition that Gaussian elimination could be applied directly without partial pivoting, provided the wave number was not an eigenvalue of the Laplacian operator. If true, this would considerably lessen the computer resources required for solution. Unfortunately, as we showed, the proposition is false. A rigorous analysis showed that even after making perturbations of the meshsize order to move the eigenvalues away from singular points the use of pivoting is essential in general. Otherwise, unbounded growth of the elimination multipliers can occur, and the ensuing growth of the roundoff errors will render the computations meaningless.

REFERENCES

- An analysis of mixed finite element approximations for periodic acoustic wave propagation (with G.J. Fix)
SIAM Jn. Num. An. 17(1980).
- Con energy methods and applications in linear elastostatics and fluid mechanics. Proc. Conf. on Elliptic Problem Solvers, Los Alamos Scientific Laboratory, June 1980, Academic Press (1981).
- Stability of Gaussian without pivoting on tridiagonal Toeplitz matrices. Linear Alg. Apps. 45(1982) (with M.D. Gunzburger).
- Mixed finite element methods for acoustics and flow problems. AIAA 5th Comp. Fl. Dyn. Conf. 1981, Palo Alto, (with G.J. Fix, M.D. Gunzburger, J.S. Peterson).
- On conforming mixed finite element methods for incompressible viscous flows. Comp. Math. Apps. 8(1982), (with M.D. Gunzburger, J.S. Peterson).
- New results in the finite element method for steady viscous flows. Math. App. F.E. Conf., Brunel. Academic Press (1982).
- Mixed finite elements applied in linear elasticity and fluid mechanics. Proc. 5th invitational symposium Fin. Elem. Ed. H. Kardestuncer, Univ. of Conn. Press (1982).
- Instability and stability of divergence constraints for viscous flows: Proc. IMACS, 10th World Congress, Montreal (1982) (with J.M. Boland).
- Stability of finite elements under divergence constraints, appear in SIAM J. Num. An. (1983) (with J. Boland).
- Counterexample to uniform stability of bilinear/constant velocity/pressure finite elements for viscous flows (to appear, Num. Math (1983))(with J. Boland.)
- Exact pressure solution algorithm for finite element formulation of viscous flow problems. (to appear).
- Algorithms for solution of time marching equations for primitive variable formulations of Navier-Stokes equations, (to appear).
- Finite element method for diffusion dominated unsteady viscous flows, to appear in Comp. Meth. Appl. Mech. Eng. (1983) (with M.D. Gunzburger, C.H. Liu).

- [14] Stable and semi-stable low order finite elements for viscous flows (to appear SIAM Jnl. Num. An. 1983) (with J. Boland)

Progress report on graduate student J.M. Boland

Mr. Boland will graduate Ph.D. Carnegie-Mellon University in January 1983. His work has been funded through AFOSR 80-0091.

Mr. Boland has been a truly outstanding student, maybe one of the two or three best of the last few years. Many people agree with this assessment.

Both he and I wish to offer our thanks to AFOSR (Mathematical Sciences Division) for the fine training facilities made possible through the support of AFOSR of the research projects reported herein.